

Material Safety Data Sheet NoFire A18, LP

1. Identification of the substance/preparation and company/undertaking

Product no. A18, LP

Produce name NoFire A18, LP

Product use Paint, Coating – Fire retardant

Address 2nd Floor Ramia House, Kojo-Thompson Road,

Adabraka, Accra

Tel: +233243125882 • +233507656464 E-mail: <u>info.sourcelink@nofiregh.net</u> Web Site: <u>http://www.nofiregh.net</u> Paint, Coating – Fire retardant

Issue Date August 12, 2017

2. Composition/Information on ingredients

Substance/preparation

There are no hazardous or dangerous substances according to Directive 1999/45/EC and its

amendments

Component	CAS number	% by weight
Ammonium Phosphate	68333-79-9	15 – 30
Titanium Dioxide	13463677	5 – 10
DiPentaerythritol	126-58-9	5 – 10

3. Hazards identification

The preparation is classified as not dangerous according to Directive

1999/45/EC and its amendments

Classification Not dangerous Physical/chemical hazards Not flammable

Human health hazards Acute Hypersensitive Individuals may

experience some skin sensitization or irritation or eye irritation. No known medical conditions prone to

aggravation by exposure

Environmental hazards Non-toxic to aquatic organisms, animals

4. First-aid measures

Inhalation Inhalation not hazardous or irritating

Ingestion Drink 1-2 glasses of water to dilute. Do not induce

vomiting. Consult Physician immediately.

Skin contact Wash with soap and water

Eye contact Flush with water. Seek medical attention

5. Fire-fighting measures

Flammability Classification Not flammable

Special Fire Fighting Procedures N/A

6. Accidental release measures

Personal precautions Wear gloves and dust mask

Environmental precautions Contain spill and collect in a container. Flush with water.

Avoid disposal in soil, waterways, sewer.

Methods for cleaning up Dilute and flush with water.

7. Handling and storage

Handling Use gloves and dust mask. Use with adequate

ventilation

Storage Store containers between 40 degF and 100 degF.

Protect from atmospheric moisture and water. Storage

Stability: 12 months minimum

8. Exposure controls/personal protection

Occupational exposure limits

<u>Ingredient name</u> Airborne particles – ACGIH TIV

Titanium Dioxide 10 mg/M³ DiPentaerythritol 5 mg/M³

Occupational exposure Provide exhaust ventilation or other engineering controls

to kept the airborne concentrations below occupational

exposure limits

Respiratory protection Wear appropriate respirator when ventilation is

inadequate. Respirator with airborne dust cartridge

Hand protection Latex gloves should be worn Eye protection Safety glasses or goggles

Skin protection Protective clothing

9. Physical and chemical properties

Appearance Liquid (white or tinted)

pH 7.5 - 8.5Flash point N/A Vapour pressure N/A

Solubility Soluble in water Evaporation rate Slower than Ether

Auto ignition temperature N/A

Odor Ordinary paint Soiling point > 212 degF

Oxidizing properties N/A

Relative density 1.45 g/cm³

Vapour density N/A
Octanol/water partition coefficient N/A
Melting point N/A

10. Stability and reactivity

Stability Product is stable Conditions to avoid Not combustible

Materials to avoid Not reactive; chemically neutral

Hazardous decomposition CO₂

products

11. Toxicological Information

Potential acute health affects Inhalation No known hazards

Ingestion May irritate stomach

Skin contact May irritate hypersensitive skin Eye contact May irritate sensitive eyes

Acute toxicity

No toxic products

Acute oral toxicity (LD50) Greater than 2000 mg/kg

Irritation effect on skinSlight irritantDuration of exposure24 hoursIrritant effect on eyesSlight irritantDuration of exposure24 hours

Potential chronic health effects

Chronic toxicity

Carcinogenicity No known carcinogens

Mutagenicity No known materials which may cause genetic effects

Reproductive toxicity

No known effects or critical hazards

Over-exposure signs/symptoms

Inhalation May cause dizziness, headache

Ingestion No known data

Skin May cause slight irritation
Eyes May cause redness

Additional information No components of this material are listed as carcinogens

by OSHA, NTP, ACGIH, or IARC.

12. Ecological Information

Environmental effects Non toxic to aquatic organisms, or animals

Aquatic ecotoxicity Test

LC50 > 100 mg/liter 96 hours

Other ecological information

Biodegradability Not biodegradable

Mobility Do not allow to enter drains or watercourses.

13. Disposal considerations

Methods of disposal Avoid disposal of material and runoff and contact with

soil, waterways, drains and sewer. Disposal of this product should at all times comply with the requirements

of environmental protection and waste disposal

legislation and any regional local authority requirements.

Hazardous waste Non hazardous waste

14. Transport information

International transport regulations

UN number N/A – Not hazardous

Proper shipping name Latex paint

Class 55
Can be delivered by within IATA regulations

15. Regulatory Information

EU regulations

Hazard symbol N/A – not hazardous

Risk phrases R43 – may cause sensitisation by skin contact Safety phrases S28 – after contact with skin, wash immediately with

plenty of soap and water. S29 – do not empty into drains

S36/37/39 – wear suitable protective clothing, gloves and

eye/face protection.

Product use Classification and labeling have been determined

according to EU Directives 67/548/EEC and 1999/45/EC

(including amendments) and take into account the

intended product use.Consumer application

Product is non hazardous according to OSHA Hazard Communication Standard 190.1200 This product is non hazardous according to EU Regulation 67/548/EEC – 88/379/EEC

16. Other information

Date of Issue 12/08/2017
Date of previous issue 16/09/2012
Revision comments Section 8, 11, 12

Full test of R-phrases referred to

In sections 2 and 3 R36 irritating to eyes

R38 irritating to skin

R67 vapours may cause drowsiness and dizziness

Further information Conforms to EU Directive 91/155/EEC, as amended by

2001/58/EC

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.